


Electrolyte-supported Cells



Features:

- High Power Density
- High Mechanical Strength
- Long term Stability
- High Planarity
- Customized Size & Shape

SEM Pictures





Fig. 1~3 Transverse Cross Section pictures of 8YSZ Cells




Fig. 4~6 Transverse Cross Section pictures of SSZ Cells

Performance:




Fig. 7 Electrochemical Performance of 8YSZ Cells




Fig. 8 Electrochemical Performance of SSZ Cells

Technical Data:

Product Type	8YSZ-supported Cells	SSZ-supported Cells
Electrolyte/Thickness	200±10µm	200±10µm
Cathode/Thickness	25±3µm	25±3µm
Anode/Thickness	10±3µm	10±3µm
Power Density	≥0.35W/cm ² @830℃, 0.75V	≥0.5W/cm ² @830℃, 0.75V
Size	Button to 10cm×10cm	Button to 10cm×10cm

Price List:

Size	8YSZ Cell	SSZ Cell
5cm×5cm	252.00 RMB	360.00 RMB
10cm×10cm	324.00 RMB	540.00 RMB

*Cell size can be customized. The minimum order amount is 50 sheets.

Contact:

Ms. Zhang Yi, Sales Manager, Email:yzhang@sofcman.com, Phone:+86-574-86688219,

Mobile:+86-15306692171

Dr. Wang Weiguo, Director, Email:wgwang@sofcman.com, Phone:+86-574-87911363,

Mobile:+86-13867802227